

What is claimed is:

Subay

1. A printer-incorporated electronic still camera comprising an imaging device, a memory, a printing device, a display device, and a mode selection device for switching over the still camera between a photography mode for converting optical images into electronic image signals through the imaging device and storing the image signals in the memory, a reproduction mode for displaying still images on the display device based on the image signals read out from the memory, a print mode for printing the displayed still image on a recording medium, and a setup mode for setting up many kinds of setup items of the still camera, wherein the setup items are sorted into a plurality of groups, and the display device displays the setup items of one group at a time in the setup mode.

2. A printer-incorporated electronic still camera as claimed in claim 1, further comprising an acceleration sensor and a device for judging by signals from the acceleration sensor whether the still camera is in a stable position or in an unstable position, and controlling the display device to display a group of setup items that relate to the photography mode initially if the still camera is judged to be in the unstable position when the setup mode is selected, or a group of setup items that relate to the print mode initially if the still camera is judged to be in the stable position when the setup mode is selected.

3. A printer-incorporated electronic still camera as  
claimed in claim 1, further comprising a lens shielding device  
for shielding a lens of the imaging device from external light,  
and a detection device for detecting whether or not the lens  
5 is shielded by the lens shielding device, and a control device  
for controlling the display device to display a group of setup  
items that relate to the photography mode initially if the lens  
is not shielded when the setup mode is selected, or a group of  
setup items that relate to the print mode initially if the lens  
10 is shielded when the setup mode is selected.

4. A printer-incorporated electronic still camera as  
claimed in claim 1, further comprising a detection device for  
detecting whether or not the recording medium is loaded in the  
15 still camera, and a control device for controlling the display  
device to display a group of setup items that relate to the  
photography mode initially if the still camera is not loaded  
with the recording medium when the setup mode is selected, or  
a group of setup items that relate to the print mode initially  
20 if the still camera is loaded with the recording medium when  
the setup mode is selected.

5. A printer-incorporated electronic still camera as  
claimed in claim 4, wherein the recording medium is a self-  
25 development type photo film sheet, and the still camera is  
provided with a pack loading chamber for loading a film pack  
that contains a plurality of said photo film sheets therein,

ay  
could wherein the detection device is located in the pack loading  
chamber to detect whether the film pack is loaded or not.

ADDON

00705721-110600